

LITHIUM BATTERIES TEST SUMMARY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF UN MANUAL OF TESTS AND CRITERIA

1	Product Manufacturer	Robert Bosch Power Tools GmbH Max-Lang-Straße 40-46 70771 Leinfelden-Echterdingen Germany +49-711-400-40990 kontakt@bosch.de www.bosch-pt.com
2	Model	Bosch Battery Pack GBA / EXBA 18V
3	Voltage rating	18V
4	Ah rating	1.3Ah / 1.5Ah / 2.0Ah / 2.5Ah / 2.6Ah / 3.0Ah / 4.0Ah / 5.0Ah / 5.5Ah / 6.0Ah / 6.3Ah / 7.0Ah / 8.0Ah / 12.0A / 15Ah
5	Wh rating	23.4Wh / 27.0Wh / 36.0Wh / 45.0Wh / 46.8Wh / 54.0Wh / 72.0Wh / 90.0Wh / 99.0Wh / 108.0Wh / 113.4Wh / 126.0Wh / 144.0Wh / 216.0Wh / 270Wh

This model of Lithium ion batteries have been succesfully tested and comply with the UN Model Regulations, Manual of Test and Criteria, Part III, subsection 38.3

PERFORMED TESTS		RESULTS
38.3.4.1 T1	Altitude Simulation	Passed
38.3.4.2 T2	Thermal Test	Passed
38.3.4.3 T3	Vibration	Passed
38.3.4.4 T4	Shock	Passed
38.3.4.5 T5	External Short Circuit	Passed
38.3.4.7 T7	Overcharge	Passed

(Note that tests T6 and T8 are not applicable to batteries.)

Revision Date: 07.08.2025

Revision Number: 19

i.V.

Andreas Schneider
Senior Vice President Engineering (PT-GT/NE)
Global Tools

i.V.

Matthias Bartsch
Director (PT-GT/ENC)
Engineering Batteries and Chargers

The UN 38.3 tests were performed by one of the following test houses and were tested to UN Manual Test and Criteria Revision 3 Amendment 1 or subsequent revisions or amendments.

Robert Bosch Power Tools GmbH PT/EST Max-Lang Str. 40-46 70771 Leinfelden-Echterdingen Germany +49 (0)711-400-40990 kontakt@bosch.de www.bosch-pt.com	Tüv Süd PSB Pte. Ltd No.1 Science Park Drive Singapore 118221 Singapore +65 6427 4700 info.sg@tuvsud.com www.tuev-sued.de/company/locations/asia
SGS Germany GmbH Hofmannstr. 50 81379 München Germany +49 (0) 89 1250 406 4513 sgs.germany@sgs.com www.sgsgroup.de	SLG Prüf und Zertifizierungs GmbH Burgstädter Str. 20 09232 Hartmannsdorf Germany +49 (0) 3722 73230 service@slg.de.com www.slg.de.com
SAMSUNG SDI CO LTD 467 BEONYEONG-RO SEOBUK-GU CHEONAN-SI, CHUNGHEONGNAM-DO 31086 KOREA +82-41-560-3114 sdimaster@samsung.com www.samsungsdi.com	VDE Prüf und Zertifizierungsinstitut GmbH Goethering 43 63067 Offenbach / Main Germany +49 (0) 69 8306-0 vde-institut@vde.com www.vde.com
Tüv Rheinland InterCert Kft. Vaci ut 48/A-B 1132 Budapest Hungary +36 1461 1100 tuv@hu.tuv.com www.tuv.hu	Dynamis Batterien GmbH Brühlstr. 15 78465 Dettingen / Konstanz Germany +049 (0) 7533 936690 info@dynamis-batterien.de www.dynamis-batterien.de
SGS Malaysia Sdn. Bhd. PLO 581, Jalan MIEL 2, Kawasan MIEL Pasir Gudang Fasa 4 Pasir Gudang, Johor, 81700 Malaysia +6(07) 2511 684 sgs.malaysia@sgs.com www.sgs.com	Shanghai Institute of Chemical Industry Testing Co., Ltd. Ltd. No. 2779 West Guangfu Road, Putuo, Shanghai, P.R.China +86-021-31765555 center@ghs.cn https://www.ghs.cn
Dekra CertificationB.V. Meander 1051 6825 MJ Arnhem The Netherlands +31 88 968 3000 product.certification@dekra.com www.dekra-product-safety.com	-

LITHIUM CELLS OR BATTERIES TEST SUMMARY
IN ACCORDANCE WITH SUB-SECTION 38.3
OF UN MANUAL OF TESTS AND CRITERIA
Product Test Information

Model numbers	Physical Description	Battery weight (kg)	Wh rating	Test report number	Test report date	Applicable UN Numbers acc. to UN Model Regulations	Delivered at max. 30% State of Charge
GBA 18V 1.3 Ah	Detachable slide in lithium-ion accumulator	0.328 0.336 0.323	23.4	D1HQ0003 70711 1151-11-MM-11-PP001_1	18.01.2011 06.07.2011 21.10.2011	UN3480/ UN3481	yes
GBA 18V 1.5 Ah BAT610 BAT610G BAT611	Detachable slide in lithium-ion accumulator	0.335 0.330 0.324 0.329 0.347 0.333 0.338	27.0	UN_T1-T5 und T7_MR_L_18V_L_G3_1Ah5_SDI15R_1st_P rePilot 90711 1087-12-MM-12-PP001 7191118958-EEC15 7191186692 - EEC18 7191179565 - EEC18 7191221970-EEC19	01.09.2010 06.07.2011 27.07.2012 12.08.2015 16.03.2018 23.07.2018 24.10.2019	UN3480/ UN3481	Yes
GBA 18V 2.0 Ah GBA18V-20 BAT612 B20V20	Detachable slide in lithium-ion accumulator	0.530 0.351 0.349 0.332 0.354 0.359 0.343 0.342 0.355 0.338 0.354 0.337 0.346 0.338 0.346 0.346 0.342 0.377	36.0	UN_014_19 1156-12-MM-MM-13-PP001 1157-12-MM-13-PP001 1102-13-MM-13-PP001 7191110841-EEC15-03_18V 2.0Ah (RX135) Test Report 7191129259-EEC16 7191138517-EEC16 7191195781 - EEC18 7191185676 - EEC18 CRSSFTY/00001(AD1)/20 28253332 001 CRSSFTY/00002/20 CRSSFTY/00013/20 CPSFTY/00028/22 CPSFTY/00042/22 CPSFTY/00029/23 HU24NKTY 001 CPSFTY/00105/24	01.09.2014 07.01.2013 08.01.2013 09.09.2013 15.04.2015 28.01.2016 22.06.2016 12.11.2018 13.07.2018 29.05.2020 25.06.2020 19.06.2020 31.07.2020 23.06.2022 29.11.2022 17.10.2023 04.04.2024 15.01.2025	UN3480/ UN3481	Yes



GBA 18V 2.5 Ah	Detachable slide in lithium-ion accumulator	0.547	45.0	7191122247-EEC15	03.11.2015	UN3480/ UN3481	Yes
GBA 18V 2.6 Ah	Detachable slide in lithium-ion accumulator	0.580 0.590	46.8	22042011 110711	20.04.2011 07.07.2011	UN3480/ UN3481	Yes
GBA 18V 3.0 Ah	Detachable slide in lithium-ion accumulator	0.542 0.596 0.598 0.590 0.591 0.360 0.570 0.605	54.0	7191133214-EEC16 7191182265 - EEC18 1169-10-MM-11-PP002 UN_T1-T5 T7_MR_XL_18V_3Ah0_SDI15Q_G2_SCM 7191156955 - EEC17 7191141107-EEC16 CRSSFTY/00017/20 CPSFTY/00035/22	29.03.2016 11.10.2018 19.01.2011 31.10.2010 06.04.2017 22.06.2016 27.11.2020 09.09.2022	UN3480/ UN3481	Yes
GBA 18V 4.0 Ah GBA18V40	Detachable slide in lithium-ion accumulator	0.797 0.797 0.609 0.600 0.612 0.623 0.611 0.618 0.600 0.600 0.620 0.527 0.537 0.602 0.603 0.593 0.600 0.537 0.533 0.603 0.533 0.537 0.530 0.575 0.534 0.567 0.604 0.556 0.595 0.560 0.604 0.642 0.640 0.604 0.642 0.546 0.555 0.570 0.639 0.641 0.644	72.0	7191140894 - EEC16 7191125542-EEC15 1170-12-MM-13-PP001 7191121396-EEC15 1104-13-MM-13-PP001 7191129263-EEC16 UN_014_17 7191109813-EEC15 7191145395 - EEC16 7191145984 - EEC16 7191146196 - EEC16 7191205584 - EEC19 UN_TR 28246834 001 7191198628 - EEC18 28253238 001 CRSSFTY/00016/20 CRSSFTY/00018/20 HU21Z8L0 001 CPSFTY/00008/21 HU21U493 001 CPSFTY/00018/21 HU21Z8L0 002 2021-40451-BESS-1-Rev.1 HU21Z8L0 003 HU22MVDB 001 CPSFTY/00021/22 CPSFTY/00004/23 CPSFTY/00022/23 HU23XFWL 001 HU2315ZZ 001 CPSFTY/00054/23 CPSFTY/00056/23 HU23XFWL 002 HU24O53C 001 1124010619 HU24XOUZ 001 CPSFTY/00007/25 2296473.60 HU25Z1SL 001 CPSFTY/00025/25 1125040056	12.07.2016 30.09.2015 14.01.2013 28.09.2015 11.09.2013 28.01.2016 29.07.2014 15.04.2015 19.08.2016 05.10.2016 14.10.2016 28.01.2019 10.10.2018 19.10.2018 25.06.2020 09.10.2020 09.12.2020 14.04.2021 19.03.2021 29.09.2021 09.09.2021 24.08.2021 30.08.2021 07.02.2022 14.11.2022 01.06.2022 20.04.2023 09.10.2023 20.12.2023 10.11.2023 19.02.2024 15.02.2024 19.03.2024 04.06.2024 29.02.2024 20.11.2024 26.03.2025 31.03.2025 29.05.2025 16.05.2025 07.05.2025	UN3480/ UN3481	yes



GBA 18V 5.0 Ah	Detachable slide in lithium-ion accumulator or	0.623	90.0	7191145588-EEC16	30.08.2016	UN3480/ UN3481	Yes
		0.630		7191145985 - EEC16	06.10.2016		
		0.626		UN_014_15	18.06.2014		
		0.620		UN_T1-T5 T7_MR XL 18V 5Ah0 SCM	21.11.2013		
				Sanyo NSX 133 PgP CW43_2013			
		0.626		7191133829-EEC16	30.03.2016		
		0.632		7191212277 - EEC19	24.06.2019		
		0.667		28253283 001	23.06.2020		
		0.605		CRSSFTY/00015/20	23.09.2020		
		0.667		HU21M43X 001	04.03.2021		
		0.607		CPSFTY/00015/21	26.07.2021		
		0.600		CRSSFTY/00005/21	05.02.2021		
		0.667		HU21M43X 002	18.02.2022		
		0.609		CPSFTY/00029/22	29.06.2022		
		0.611		CPSFTY/00035/23	08.12.2023		
		0.648		CPSFTY/00057/23	15.02.2024		
		0.647		HU24O3TH 001	19.03.2024		
		0.609		HU24V8JS 001	23.05.2024		
		0.647		1124010618	29.02.2024		
		0.647		HU25243S 001	04.06.2025		
		0.647		HU254IJK 001	17.06.2025		
		0.645		CPSFTY/00026/25	15.05.2025		
		0.648		CPSFTY/00028/25	10.06.2025		
		0.646		CPSFTY/00031/25	04.07.2025		
		0.646		1125050683	02.07.2025		
		0.646		1125050684	16.07.2025		
GBA 18V 5.5 Ah	Detachable slide in lithium-ion accumulator or	0.900	99.0	28252834 001	06.05.2020	UN3480/ UN3481	Yes
		0.900		HU21XL0Z 001	26.10.2021		
		0.980		HU21XL0Z 003	25.03.2022		
		1.010		HU22BNDV 001	09.12.2022		
		0.960		HU22BNDV 002	17.04.2023		
		0.951		HU24FHEE 001	24.10.2024		
		0.948		2296552.60	10.04.2025		
GBA 18V 6.0 Ah GBA18V60	Detachable slide in lithium-ion accumulator or	0.830	108.0	7191145489 - EEC16	18.08.2016	UN3480/ UN3481	Yes
		0.628		7191091638_EEC14	12.08.2014		
		0.634		7191143768-EEC16	22.09.2016		
		0.638		7191187518 - EEC18	04.09.2018		
		0.629		7191200830 - EEC18	29.11.2019		
		0.633		CPSFTY/00020/21	27.09.2021		
		1.003		CPSFTY/00041/22	07.11.2022		
GBA 18V 6.3 Ah GBA18V63	Detachable slide in lithium-ion accumulator or	0.803	113.4	7191136781-EEC16	13.05.2016	UN3480/ UN3481	Yes
GBA 18V 7.0 Ah	Detachable slide in lithium-ion accumulator or	0.833	126.0	TR 28238951 001	09.06.2017	UN3480/ UN3481	Yes



GBA 18V 8.0 Ah GBA18V80	Detachable slide in lithium-ion accumulator or	0.990	144.0	259732-TL7-2	14.03.2019	UN3480/ UN3481	Yes
		0.986		28247959 002	26.03.2019		
		0.986		HU212FFJ 002	08.11.2021		
		0.962		CPSFTY/00021/21	09.09.2021		
		0.990		2021-40462-BESS-1	26.08.2021		
		0.986		HU212FFJ 004	09.12.2021		
		0.986		HU212FFJ 005	02.06.2022		
		0.980		CPSFTY/00016/22	12.05.2022		
		1.010		HU22K26C 001	09.12.2022		
		1.003		CPSFTY/00051/22	15.02.2023		
		0.979		CPSFTY/00037/22	21.10.2022		
		0.986		HU22K26C 002	26.05.2023		
		0.987		CPSFTY/00023/23	06.10.2023		
		0.998		HU22K26C 003	27.09.2023		
		0.998		HU22K26C 004	02.11.2023		
		0.976		HU24H152 001	17.12.2024		
		0.982		CPSFTY/00008/25	27.03.2025		
		0.982		2295596.60	24.03.2025		
GBA 18V 12.0 Ah GBA18V120	Detachable slide in lithium-ion accumulator or	1.380	216.0	259043-TL7-1	12.02.2019	UN3480/ UN3481	Yes
		1.370		CRSSFTY/00007/21	08.03.2021		
		1.400		CPSFTY/00031/21	25.10.2021		
		1.377		CPSFTY/00019/21	09.09.2021		
		1.407		CPSFTY/00038/22	21.10.2022		
		1.361		CPSFTY/00117/24	24.01.2025		

EXBA18V- 40 4.0 Ah	Detachable slide in lithium-ion accumulator or	0.605	72.0	CPSFTY/00115/24	07.02.2025	UN3480/ UN3481	Yes
		0.601		HU24MYMI 001	15.01.2025		
EXBA18V- 55 5.5 Ah	Detachable slide in lithium-ion accumulator or	1.017	99.0	HU24F7RP 001	06.11.2024	UN3480/ UN3481	Yes
		1.018		CPSFTY/00079/24	25.10.2024		
EXBA18V- 60 6.0 Ah	Detachable slide in lithium-ion accumulator or	1.019	108.0	CPSFTY/00080/24	15.10.2024	UN3480/ UN3481	Yes
EXBA18V- 80 8.0 Ah	Detachable slide in lithium-ion accumulator or	1.039	144.0	CPSFTY/00081/24	06.11.2024	UN3480/ UN3481	Yes
		1.031		HU24KZEZ 001	11.11.2024		
EXBA18V- 150 15.0 Ah	Detachable slide in lithium-ion accumulator or	1.528	270.0	CPSFTY/00084/24	04.11.2024	UN3480/ UN3481	Yes

All lithium batteries and cells shown in before-mentioned table were designed and manufactured in accordance with Section 2.9.4 of the UN Recommendations on the Transport of Dangerous Goods.